

SYMB. NO.	STOCK NO.	DESCRIPTION	SYMB. NO.	STOCK NO.	DESCRIPTION
R204	429830	2200 Ohm, 5%, 1/8 w, Comp	R833	429830	22000 Ohm, 5%, 1/8 w, Comp
R205	741884	56 Ohm, 5%, 1/8 w, Comp	R834	429830	22000 Ohm, 5%, 1/8 w, Comp
R206	433123	560 Ohms, 5%, 1/8 w, Comp	R835	433323	82000 Ohm, 5%, 1/8 w, Comp
R207	429824	2200 Ohm, 1/8 w, 5%, Comp	R836	427816	33,000 Ohms, 1/8 w, 5%, Comp
R302	427816	33,000 Ohms, 1/8 w, 5%, Comp	R837	427816	33000 Ohm, 5%, 1/8 w, Comp
R303	429833	56,000 Ohm, 1/8 w, 5%, Comp	R838	429821	680 Ohm, 1/8 w, 5%, Comp
R304	429830	22000 Ohm, 5%, 1/8 w, Comp	R851	429826	4700 Ohm, 5%, 1/8 w, Comp
R305	741884	56 Ohm, 5%, 1/8 w, Comp	R852	428612	1000 Ohm, 5%, 1/8 w, Comp
R306	433123	560 Ohms, 5%, 1/8 w, Comp	R853	433122	220 Ohms, 5%, 1/8 w, Comp
R307	429824	2200 Ohm, 1/8 w, 5%, Comp	R854	429820	470 Ohm, 5%, 1/8 w, Comp
R501			R855	429828	10000 Ohm, 5%, 1/8 w, Comp
THRU			R856	425266	3300 Ohm, 5%, 1/8 w, Comp
R514	742741	RES Module-7 Resistors, 1800 Ohm, ea.	R857	433312	2.2 Ohms, 5%, 1/4 w, Comp
R601	429826	4700 Ohm, 5%, 1/8 w, Comp	R861	427816	33,000 Ohms, 1/8 w, 5%, Comp
R602	429830	22000 Ohm, 5%, 1/8 w, Comp	R862	429824	2200 Ohm, 1/8 w, 5%, Comp
R603	436537	330000 Ohm, 5%, 1/8 w, Comp	R863	429831	27000 Ohm, 5%, 1/8 w, Comp
R604	433324	1000000 Ohm, 5%, 1/8 w, Comp	R864	433323	82000 Ohm, 5%, 1/8 w, Comp
R605	429829	15,000 Ohm, 1/8 w, 5%, Comp	R865	427815	1500 Ohms, 1/8 w, 5%, Comp
R606	429824	2200 Ohm, 1/8 w, 5%, Comp	R866	429826	4700 Ohm, 5%, 1/8 w, Comp
R607	429829	15,000 Ohm, 1/8 w, 5%, Comp	R867	742742	390000 Ohm, 5%, 1/8 w, Comp
R608	433324	1000000 Ohm, 5%, 1/8 w, Comp	R868	429835	220,000 Ohm, 1/8 w, 5%, Comp
R609	429830	22000 Ohm, 5%, 1/8 w, Comp	R869	429820	470 Ohm, 1/8 w, 5%, Comp
R610	433324	1000000 Ohm, 5%, 1/8 w, Comp	R870	428612	1000 Ohm, 5%, 1/8 w, Comp
R611	429835	220,000 Ohm, 1/8 w, 5%, Comp	R871	429824	2200 Ohm, 1/8 w, 5%, Comp
R612	429820	470 Ohm, 1/8 w, 5%, Comp	R872	429824	2200 Ohm, 1/8 w, 5%, Comp
R614	433324	1000000 Ohm, 5%, 1/8 w, Comp	R873	429824	2200 Ohm, 1/8 w, 5%, Comp
R615	436536	680000 Ohm, 5%, 1/8 w, Comp	R874	429826	4700 Ohm, 5%, 1/8 w, Comp
R616	436536	680000 Ohm, 5%, 1/8 w, Comp	R875	426376	10 Ohms, 5%, 1/8 w, Comp
R617	429836	470,000 Ohm, 1/8 w, 5%, Comp	R901	429826	4700 Ohm, 5%, 1/8 w, Comp
R618	423244	270000 Ohm, 5%, 1/8 w, Comp	R902	430554	3900 Ohm, 1/8 w, 5%, Comp
R619	429826	4700 Ohm, 5%, 1/8 w, Comp	R903	741884	56 Ohm, 5%, 1/8 w, Comp
R620	427816	33,000 Ohms, 1/8 w, 5%, Comp	R904	742840	270 Ohm, 5%, 1 w, Film Metal Oxide
R621	429836	470,000 Ohm, 1/8 w, 5%, Comp	R905	227741	560 Ohm, 5%, 1/4 w, Comp
R622	433324	1000000 Ohm, 5%, 1/8 w, Comp	R906	246910	100 Ohm, 5%, 1/8 w, Comp
R623	430554	3900 Ohm, 1/8 w, 5%, Comp	R907	426232	10 Ohm, 5%, 1/4 w, Comp
R624	429832	39000 Ohm, 5%, 1/8 w, Comp	R908	246910	100 Ohm, 5%, 1/8 w, Comp
R625	741881	150000 Ohm, 5%, 1/8 w, Comp	R909	429828	10000 Ohm, 5%, 1/8 w, Comp
R626	433324	1000000 Ohm, 5%, 1/8 w, Comp	R910	425266	3300 Ohm, 5%, 1/8 w, Comp
R627	429828	10000 Ohm, 5%, 1/8 w, Comp	R911	246910	100 Ohm, 5%, 1/8 w, Comp
R801	246910	100 Ohm, 5%, 1/8 w, Comp	R912	429828	10000 Ohm, 5%, 1/8 w, Comp
R802	246910	100 Ohm, 5%, 1/8 w, Comp	R913	425266	3300 Ohm, 5%, 1/8 w, Comp
R803	433122	220 Ohms, 5%, 1/8 w, Comp	R914	433463	150 Ohms, 5%, 1/8 w, Comp
R804	429830	22000 Ohm, 5%, 1/8 w, Comp	R915	433463	150 Ohms, 5%, 1/8 w, Comp
R805	423241	120000 Ohm, 5%, 1/8 w, Comp	R916	428612	1000 Ohm, 5%, 1/8 w, Comp
R806	433122	220 Ohms, 5%, 1/8 w, Comp	R917	429821	680 Ohm, 1/8 w, 5%, Comp
R807	429834	100,000 Ohm, 1/8 w, 5%, Comp	R926	433122	220 Ohms, 5%, 1/8 w, Comp
R808	741884	56 Ohm, 5%, 1/8 w, Comp	R927	429819	390 Ohm, 1/8 w, 5%, Comp
R809	429821	680 Ohm, 1/8 w, 5%, Comp	R928	429834	100,000 Ohm, 1/8 w, 5%, Comp
R810	429834	100,000 Ohm, 1/8 w, 5%, Comp	R929	429831	27000 Ohm, 5%, 1/8 w, Comp
R811	428612	1000 Ohm, 5%, 1/8 w, Comp	R930	428613	12000 Ohm, 5%, 1/8 w, Comp
R812	428612	1000 Ohm, 5%, 1/8 w, Comp	R931	429821	680 Ohm, 1/8 w, 5%, Comp
R813	435413	180000 Ohm, 5%, 1/8 w, Comp	R932	429820	470 Ohm, 1/8 w, 5%, Comp
R814	502156	560 Ohms, 5%, 1/2 w, Comp	R933	426376	10 Ohms, 5%, 1/8 w, Comp
R821	427815	1500 Ohms, 1/8 w, 5%, Comp	R934	429826	4700 Ohm, 5%, 1/8 w, Comp
R822	429824	2200 Ohm, 1/8 w, 5%, Comp	R935	422021	6800 Ohm, 5%, 1/8 w, Comp
R823	425269	47,000 Ohm, 5%, 1/8 w, Comp	R936	433122	220 Ohms, 5%, 1/8 w, Comp
R824	428612	1000 Ohm, 5%, 1/8 w, Comp	R937	429820	470 Ohm, 1/8 w, 5%, Comp
R825	429824	2200 Ohm, 5%, 1/8 w, Comp	R938	429828	10000 Ohm, 5%, 1/8 w, Comp
R826	425266	3300 Ohm, 5%, 1/8 w, Comp	R939	429826	4700 Ohm, 5%, 1/8 w, Comp
R827	428613	12000 Ohm, 5%, 1/8 w, Comp	R940	429828	10000 Ohm, 5%, 1/8 w, Comp
R828	741883	270 Ohm, 5%, 1/8 w, Comp	R941	429828	10000 Ohm, 5%, 1/8 w, Comp
R829	741882	330 Ohm, 5%, 1/8 w, Comp	R942	741882	330 Ohm, 5%, 1/8 w, Comp
R830	422020	5600 Ohm, 5%, 1/8 w, Comp	R943	433323	82000 Ohm, 5%, 1/8 w, Comp
R831	436537	330000 Ohm, 5%, 1/8 w, Comp	R963	433123	560 Ohms, 5%, 1/8 w, Comp
R832	425269	47,000 Ohm, 5%, 1/8 w, Comp	R964	427816	33,000 Ohms, 1/8 w, 5%, Comp

Continued on Page 46

SYMB. NO.	STOCK NO.	DESCRIPTION	SYMB. NO.	STOCK NO.	DESCRIPTION
R966	430554	3900 Ohm, 1/8 w, 5%, Comp	TR811	169771	Transistor - Type 2SC828
R967	430554	3900 Ohm, 5%, 1/8 w, Comp	TR812	169771	Transistor - Type 2SC828
R968	429834	100,000 Ohm, 1/8 w, 5%, Comp	TR813	169771	Transistor - Type 2SC828
R969	433463	150 Ohms, 5%, 1/8 w, Comp	TR901	742970	Transistor - Type 2SC1974
R971	429828	10000 Ohm, 5%, 1/8 w, Comp	TR902	741858	Transistor - Type 2SC1973
R972	429828	10000 Ohm, 5%, 1/8 w, Comp	TR903	741855	Transistor - Type 2SC829
R973	246910	100 Ohm, 5%, 1/8 w, Comp	TR904	741855	Transistor - Type 2SC829
R974	433123	560 Ohms, 5%, 1/8 w, Comp	TR905	741860	Transistor - Type 3SK49
R975	433417	18000 Ohm, 5%, 1/8 w, Comp	TR906	741855	Transistor - Type 2SC829
R976	422020	5600 Ohm, 5%, 1/8 w, Comp	TR907	741855	Transistor - Type 2SC829
R977	432105	820 Ohms, 5%, 1/8 w, Comp	TR908	169771	Transistor - Type 2SC828
R978	246910	100 Ohm, 5%, 1/8 w, Comp	TR909	169771	Transistor - Type 2SC828
R979	427816	33,000 Ohms, 1/8 w, 5%, Comp	TR910	742729	Transistor - Type 2SC1383
R980	429821	680 Ohm, 1/8 w, 5%, Comp	TR912	741855	Transistor - Type 2SC829
R981	246910	100 Ohm, 5%, 1/8 w, Comp	TR913	741862	Transistor - Type 2SC1047
R982	422021	6800 Ohm, 5%, 1/8 w, Comp	TR914	741855	Transistor - Type 2SC829
R983	429829	15,000 Ohm, 1/8 w, 5%, Comp	TR915	741855	Transistor - Type 2SC829
R984	246910	100 Ohm, 5%, 1/8 w, Comp	TR916	741855	Transistor - Type 2SC829
R985	428612	1000 Ohm, 5%, 1/8 w, Comp	TR917	741863	Transistor - Type 2SA564
R986	425269	47,000 Ohm, 5%, 1/8 w, Comp	TR918	741863	Transistor - Type 2SA564
R987	431026	1200 Ohm, 5%, 1/8 w, Comp	TR919	741855	Transistor - Type 2SC829
R989	429832	39000 Ohm, 5%, 1/8 w, Comp			
R990	433123	560 Ohms, 5%, 1/8 w, Comp	VR152	742810	10000 Ohm, Linear, Semi Var
R991	429824	2200 Ohm, 1/8 w, 5%, Comp	VR201	742811	100000 Ohm, Linear, Var w/Pwr Switch
R992	429821	680 Ohm, 5%, 1/8 w, Comp	VR202	742811	100000 Ohm, Linear, Var w/Pwr Switch
R993	429825	2700 Ohm, 1/8 w, 5%, Comp	VR203	741894	100000 Ohm, Linear, Var
R995	429834	100,000 Ohm, 1/8 w, 5%, Comp	VR301	742811	100000 Ohm, Linear, Var w/Pwr Switch
R996	429834	100,000 Ohm, 1/8 w, 5%, Comp	VR302	742811	100000 Ohm, Linear, Var w/Pwr Switch
R997	433417	18000 Ohm, 5%, 1/8 w, Comp	VR304	742813	40 Ohm, Linear, Var
			VR404	742813	40 Ohm, Linear, Var
SW701	742811	100000 Ohm, Linear, Var w/Pwr Switch	VR801	741880	10000 Ohm, Linear, Var with Switch
SW702	741928	Switch-Selector Slide	VR901	741891	5000 Ohm, Linear, Semi Var
SW802	741880	10000 Ohm, Linear, Var with Switch	VR902	741891	5000 Ohm, Linear, Semi Var
SW803	742765	Switch - Selector	VR903	742812	10000 Ohm, Linear, Semi Var
SW904	741927	Switch-Monitor, On/Off			
SW905	742766	Switch - Selector	X801	742767	Crystal - 11.050 MHZ
			X901	742768	Crystal - 10.595 MHZ
T151	741918	Coil-MPX.	X902	742769	Crystal - 10.240 MHZ
T152	741919	Coil-MPX			
T701	742758	Transformer - Mod			
T801	742759	Transformer - RF			
T802	741896	Transformer - RF	AJ	741984	Connector-Jack (Antenna)
T902	741896	Transformer - RF	AJ901	742771	Connector - ANT
T903	741896	Transformer - RF			
T904	741896	Transformer - RF	CN151J	741957	Connector-Jack
T906	742760	Transformer - RF	CN151P	741959	Connector-Plug
T907	742761	Transformer - RF	CN201J	741958	Connector-Jack
T908	742760	Transformer - RF	CN201P	741959	Connector-Plug
			CN801J	741953	Connector-Jack
TR51	741862	Transistor - Type 2SC1047	CN801P	741954	Connector-Plug
TR52	741862	Transistor - Type 2SC1047	CN802	742773	Connector - Plug (7P)
TR53	741855	Transistor - Type 2SC829			
TR101	742728	Transistor - Type 2SC2076	F	170541	Fuse - 3 AMP
TR102	741855	Transistor - Type 2SC829			
TR103	741855	Transistor - Type 2SC829	M15	742815	Plate/Back
TR151	741855	Transistor - Type 2SC829	M19	741969	Guide, Dial Pointer
TR152	169771	Transistor - Type 2SC828	M20	742816	Base - Dial Pointer
TR153	741863	Transistor - Type 2SA564	M24	741987	Cord-Pwr. D.C.
TR801	741860	Transistor - Type 3SK49	M25	742817	Escutcheon Assem
TR802	741855	Transistor - Type 2SC829	M25-2	742818	Plate - Dial
TR803	741855	Transistor - Type 2SC829	M25-3	742819	Pad
TR804	741855	Transistor - Type 2SC829	M26	742820	Holder - Pilot Lamp
TR805	741855	Transistor - Type 2SC829	M27	742821	Cap - Illumination
TR806	742729	Transistor - Type 2SC1383	M28	742785	Knob - (CH)
TR807	741856	Transistor - Type 2SC1318	M29	741961	Knob - (Delta Tune)
TR810	741855	Transistor - Type 2SC829			

Continued on Page 47

SYMB. NO.	STOCK NO.	DESCRIPTION	SYMB. NO.	STOCK NO.	DESCRIPTION
M30	741962	Knob - (Squelch Control)	C65	741889	6 pf, Trimmer
M31	742788	Button - Push	C66	423553	3 pf, 50 v, CER
M32	741964	Knob-Band Sel.	C67	742058	27 pf, 10%, 50 v, CER
M33	741965	Knob-Bal. Cont.	C68	423332	270 pf, 10%, 50 v, CER. Plate
M38	741985	Joint	C69	742028	.01 uF + 100% - 0%, 50 v, CER
M46	742822	Holder - Meter	C70	423553	3 pf, 50 v, CER.
M47	742823	Holder	C71	742044	1 pf + /-.25 pf, 50 v, CER
M48	742824	Stud	C72	437366	39 pf, 5%, 50 v, CER.
M49	742825	Lead - Speaker (FL)	C73	742028	.01 uF + 100% - 0%, 50 v, CER
M50	742826	Lead - Speaker (FR)	C74	423553	3 pf, 50 v, CER.
M51	742827	Lead - Speaker (RL)	C75	741890	5 pf, Trimmer
M52	742828	Lead - Speaker (RR)	C76	742030	.0047 uF, 10%, 50 v, Film Polyester
M53	742775	Connector - Jack (CN802)	C77	423553	3 pf, 50 v, CER.
M54	742829	Lead - Shorting (Red)	C78	742028	.01 uF + 100% - 0%, 50 v, CER
M55	742830	Lead - Shorting (Blue)	C79	742024	1 uF, 50 v, Elyt
M58	742792	Board PC - Jointer (7 Wires)	C80	742028	.01 uF + 100% - 0%, 50 v, CER
M59	742793	Board PC - Jointer (8 Wires)	C101	742743	50 pf, Trimmer
M61	742831	Lead - Mike	C102	742041	15 pf, 10%, 50 v, CER
M62	741988	Cord-Pwr. D.C.	C103	428517	.0018 uF, 10%, 50 v, Film
M83	742798	Board PC - Flexible (For Switch)	C104	425332	270 pf, 10%, 50 v, CER. Plate
M84	742832	Board PC - Flexible (For LED)	C105	742050	.047 uF, 20%, 50 v, Film Polyester
M90	741943	Tun Assem-Inc (L51/53/54/102/103/106)	C106	742050	.047 uF, 20%, 50 v, Film Polyester
M90-1	741944	Joint	C107	742744	65 pf, Trimmer
M90-2	741945	Button,Push	C108	427797	390 pf, 50 v, 10%, CER. Plate
M90-3	741946	Spring	C109	742036	82 pf, 10%, 50 v, CER
M90-4	742814	Joint - Universal	C110	742027	.01 uF, 20%, 50 v, Film Polyester
M801	741948	Meter-D.C.	C111	437375	.0022 uF, 10%, 50 v, Film Mylar
PL701	741949	Lamp-Pilot	C112	437375	.0022 uF, 10%, 50 v, Film Mylar
PL702	741949	Lamp-Pilot	C113	742027	.01 uF, 20%, 50 v, Film Polyester
		ACCESSORIES	C114	742056	180 pf, 5%, 50 v, CER
A1	741979	Microphone-C B	C115	741887	70 pf, Trimmer
A2	742802	Lead - Extension (Speaker)	C116	742027	.01 uF, 20%, 50 v, Film Polyester
A3	742803	Lead - Extension (Speaker)	C117	742047	33 uF, 10 v, Elyt
A4	742833	Lead - Extension (Speaker)	C118	742024	1 uF, 50 v, Elyt
A5	742834	Lead - Extension (Speaker)	C119	742056	180 pf, 5%, 50 v, CER
A6	741974	Panel-Decoration	C120	742050	.047 uF, 20%, 50 v, Film Polyester
A7	741976	Gasket	C121	742027	.01 uF, 20%, 50 v, Film Polyester
A8	741980	Holder-Microphone	C122	742027	.01 uF, 20%, 50 v, Film Polyester
A9	742801	Clamp - Cord	C151	742028	.01 uF + 100% - 0%, 50 v, CER.
A10	742005	Strap-Supporting	C152	742028	.01 uF + 100% - 0%, 50 v, CER.
A11	741977	Knob-Tone and Fader Cont	C153	742026	.022 uF, 20%, 50 v, Film Polyester
A12	741978	Knob-Tuning and Volume Cont	C154	742028	.01 uF + 100% - 0%, 50 v, CER
		CAPACITORS	C155	742028	.01 uF + 100% - 0%, 50 v, CER
C51	741991	8 pf +/-0.5 pf, 50 v, Ceramic	C156	742051	.033 uF, 20%, 50 v, Film Polyester
C52	742041	15 pf, 10%, 50 v, CER	C157	742056	180 pf, 5%, 50 v, CER
C53	741991	8 pf + /-0.5 pf, 50 v, Ceramic	C158	742056	180 pf, 5%, 50 v, CER
C54	740831	10 pf, 50 v, CER Disc	C159	742056	180 pf, 5%, 50 v, CER
C55	437395	10 pf, 5%, 50 v, Ceramic	C160	742049	4.7 uF, 25 v, Elyt
C56	742733	6 pf, .5%, 50 v CER	C161	742028	.01 uF + 100% - 0%, 50 v, CER
C57	741889	6 pf, Trimmer	C162	742045	100 uF, 10 v, Elyt
C58	423553	3 pf, 50 v, CER.	C163	742021	100 uF, 16 v, Elyt
C59	742059	18 pf, 10%, 50 v, CER	C171	742023	10 uF, 16 v, Elyt
C60	742028	.01 uF + 100% - 0%, 50 v, CER	C172	742023	10 uF, 16 v, Elyt
C61	741991	8 pf +/-0.5 pf, 50 v, Ceramic	C173	742023	10 uF, 16 v, Elyt
C62	742028	.01 uF + 100% - 0%, 50 v, CER	C174	742050	.047 uF, 20%, 50 v, Film Polyester
C63	742043	2 pf + /-.25 pf, 50 v, CER	C175	742024	1 uF, 50 v, Elyt
C64	742060	12 pf, 5%, 50 v, CER	C176	742735	.47 uF, 35 v, Tant
			C177	742736	.22 uF, 35 v, Tant
			C178	742051	.033 uF, 20%, 50 v, Film Polyester
			C179	742051	.033 uF, 20%, 50 v, Film Polyester
			C180	742737	390 pf, 5%, 125 v, Film Polyester
			C181	742021	100 uF, 16 v, Elyt
			C182	742024	1 uF, 50 v, Elyt
			C183	742024	1 uF, 50 v, Elyt

Continued on Page 48

SYMB. NO.	STOCK NO.	DESCRIPTION	SYMB. NO.	STOCK NO.	DESCRIPTION
C202	742736	.22 uF, 35 v, Tant	C851	742021	100 uF, 16 v, Elyt
C203	742024	1 uF, 50 v, Elyt	C852	742023	10 uF, 16 v, Elyt
C204	742021	100 uF, 16 v, Elyt	C854	742037	68 pf, 10%, 50 v, CER
C205	742047	33 uF, 10 v, Elyt	C855	742031	.001 uF, 10%, 50 v, Film Polyester
C206	425332	270 pf, 10%, 50 v, CER.	C856	742052	.01 uF + 80% - 20%, 50 v, CER, H1-K
C207	428517	.0018 uF, 10%, 50 v, Film Polyester	C857	742040	22 pf, 10%, 50 v, CER
C208	742023	10 uF, 16 v, Elyt	C858	742058	27 pf, 10%, 50 v, CER
C209	741878	.2 uF, 20%, 12 v, Ceramic	C859	742039	33 pf, 10%, 50 v, CER
C210	742065	.1 uF, 20%, 50 v, Film Polyester	C861	742052	.01 uF + 80% - 20%, 50 v, CER, H1-K
C211	740845	470 uF, 16 v, Elect	C862	742023	10 uF, 16 v, Elyt
C302	742736	.22 uF, 35 v, Tant	C863	742052	.01 uF + 80% - 20%, 50 v, CER, H1-K
C303	742024	1 uF, 50 v, Elyt	C871	742024	1 uF, 50 v, Elyt
C304	742021	100 uF, 16 v, Elyt	C872	742023	10 uF, 16 v, Elyt
C305	742047	33 uF, 10 v, Elyt	C873	742052	.01 uF + 80% - 20%, 50 v, CER, H1-K
C306	425332	270 pf, 10%, 50 v, CER.	C874	742023	10 uF, 16 v, Elyt
C307	428517	.0018, 10%, 50 v, Film Polyester	C875	742022	47 uF, 16 v, Elyt
C308	742023	10 uF, 16 v, Elyt	C876	742025	.1 uF, 20%, 12 v, CER
C309	741878	.2 uF, 20%, 12 v, Ceramic	C877	742024	1 uF, 50 v, Elyt
C310	742065	.1 uF, 20%, 50 v, Film Polyester	C878	742024	1 uF, 50 v, Elyt
C311	740845	470 uF, 16 v, Elect	C879	742026	.022 uF, 20%, 50 v, Film Polyester
C601	427797	390 pf, 50 v, 10%, CER. Plate	C881	742025	.1 uF, 20%, 12 v, CER
C602	437360	.018 uF, 10%, 50 v, Film Mylar	C882	742025	.1 uF, 20%, 12 v, CER
C603	742056	180 pf, 5%, 50 v, CER	C883	742052	.01 uF + 80% - 20%, 50 v, CER, H1-K
C604	742037	68 pf, 10%, 50 v CER	C884	437387	33 MF, 16 v, Electric (Radial)
C605	742050	.047 uF, 20%, 50 v, Film Polyester	C901	742034	120 pf, 10%, 50 v, CER
C606	742048	33 uF, 6 v, Elyt	C902	742055	270 pf, 5%, 50 v, CER
C607	436923	10 MF, 10%, 10 v, Tant	C903	742052	.01 uF + 80% - 20%, 50 v, CER, H1-K
C608	436923	10 MF, 10%, 10 v, Tant	C904	742033	220 pf, 10%, 50 v, CER
C609	170543	.015 uF, 10%, 50 v, Film Mylar	C905	742055	270 pf, 5%, 50 v, CER
C610	742056	180 pf, 5%, 50 v, CER	C906	742034	120 pf, 10%, 50 v, CER
C611	742037	68 pf, 10%, 50 v, CER	C907	742052	.01 uF + 80% - 20%, 50 v, CER, H1-K
C612	742027	.01 uF, 20%, 50 v, Film Polyester	C908	742739	220 uF, 16 v, Elyt
C613	742031	.001 uF, 10%, 50 v, Film Polyester	C909	742037	68 pf, 10%, 50 v, CER
C614	437361	.0027 uF, 10%, 50 v, Film Mylar	C910	742039	33 pf, 10%, 50 v, CER
C615	742052	.01 uF + 80% - 20%, 50 v, CER, H1-K	C911	742052	.01 uF + 80% - 20%, 50 v, CER, H1-K
C616	742052	.01 uF + 80% - 20%, 50 v, CER, H1-K	C912	742033	220 pf, 10%, 50 v, CER
C618	742031	.001 uF, 10%, 50 v, Film Polyester	C913	742025	.1 uF, 20%, 12 v, CER
C619	742052	.01 uF, +80%, -20%, 50 v, CER, H1-K	C914	742039	33 pf, 10%, 50 v, CER
C701	742067	1000 uF, 16 v, Elyt	C915	742052	.01 uF + 80% - 20%, 50 v, CER, H1-K
C801	742042	12 pf, 10%, 50 v, CER	C916	742035	100 pf, 10%, 50 v, CER
C802	742052	.01 uF + 80% - 20%, 50 v, CER, H1-K	C917	126918	47 uF, 10 v, Elect
C803	742052	.01 uF + 80% - 20%, 50 v, CER, H1-K	C919	425836	33 pf, 50 v, Ceramic
C804	742029	.01 uF, 10%, 50 v, CER	C920	742052	.01 uF + 80% - 20%, 50 v, CER, H1-K
C805	742024	1 uF, 50 v, Elyt	C921	742039	33 pf, 10%, 50 v, CER
C806	742029	.01 uF, 10%, 50 v, CER	C922	742052	.01 uF + 80% - 20%, 50 v, CER, H1-K
C807	742037	68 pf, 10%, 50 v, CER	C924	742052	.01 uF + 80% - 20%, 50 v, CER, H1-K
C808	740831	10 pf, 50 v, CER, Disc	C929	742740	33 pf, 5%, 50 v, CER
C809	742029	.01 uF, 10%, 50 v, CER	C930	742052	.01 uF + 80% - 20%, 50 v, CER, H1-K
C810	742052	.01 uF + 80% - 20%, 50 v, CER, H1-K	C936	742052	.01 uF + 80% - 20%, 50 v, CER, H1-K
C811	742043	2 pf + /- .25 pf, 50 v, CER	C939	741991	8 pf + / -0.5 pf, 50 v, Ceramic
C812	742052	.01 uF + 80% - 20%, 50 v, CER, H1-K	C940	742038	47 pf, 10%, 50 v, CER
C813	423296	5 pf, 10%, 50 v, CER	C941	742029	.01 uF, 10%, 50 v, CER
C814	742052	.01 uF + 80% - 20%, 50 v, CER, H1-K	C942	742042	12 pf, 10%, 50 v, CER
C815	742052	.01 uF + 80% - 20%, 50 v, CER, H1-K	C943	742036	82 pf, 10%, 50 v, CER
C816	742039	33 pf, 10%, 50 v, CER	C944	742031	.001 uF, 10%, 50 v, Film Polyester
C817	742029	.01 uF, 10%, 50 v, CER	C945	742052	.01 uF + 80% - 20%, 50 v, CER, H1-K
C818	742052	.01 uF + 80% - 20%, 50 v, CER, H1-K	C946	742038	47 pf, 10%, 50 v, CER
C821	742033	220 pf, 10%, 50 v, CER	C953	126918	47 uF, 10 v, Elect
C822	742052	.01 uF + 80% - 20%, 50 v, CER, H1-K	C954	742025	.1 uF, 20%, 12 v, CER
C823	742052	.01 uF + 80% - 20%, 50 v, CER, H1-K	C955	742037	68 pf, 10%, 50 v, CER
C824	742023	10 uF, 16 v, Elyt	C956	436923	10 MF, 10%, 10 v, Tant
C825	742052	.01 uF + 80% - 20%, 50 v, CER, H1-K	C957	436925	.1 MF, 10%, 35 v, Tant
C826	742027	.01 uF, 20%, 50 v, Film Polyester	C958	245245	47 pf, 5%, 75 v, CER. Plate
C827	742024	1 uF, 50 v, Elyt	C959	423299	10 pf, 10%, 50 v, CER. Disc.
C828	742030	.0047 uF, 10%, 50 v, Film Polyester			
C829	742033	220 pf, 10%, 50 v, CER			

Continued on Page 49

SYMB. NO.	STOCK NO.	DESCRIPTION	SYMB. NO.	STOCK NO.	DESCRIPTION
C960	423299	10 pf, 10%, 50 v, CER. Disc.	D903	741864	Diode - Type MA150
C961	742033	220 pf, 10%, 50 v, CER	D904	741864	Diode - Type MA150
C962	427831	150 pf, 50 v, 10%, CER. Plate	D905	741864	Diode - Type MA150
C963	742025	.1 uF, 20%, 12 v, CER	D908	742732	Diode - Type Special
C964	742039	33 pf, 10%, 50 v, CER	D909	741864	Diode - Type MA150
C965	742052	.01 uF + 80% - 20%, 50 v, CER, H1-K	IC151	741852	IC - Type Special
C966	742066	.001 uF, 10%, 50 v, CER, H1-K	IC152	742723	IC - Type AN362
C967	740831	10 pf, 50 v, CER, Disc	IC201	741854	IC - Type AN214
C968	742052	.01 uF + 80% - 20%, 50 v, CER, H1-K	IC301	741854	IC - Type AN214
C969	742040	22 pf, 10%, 50 v, CER	IC901	742724	IC - Type Special
C970	742040	22 pf, 10%, 50 v, CER	IC902	742725	IC - Type Special
C971	742039	33 pf, 10%, 50 v, CER	IC903	742726	IC - Type Special
C972	742031	.001 uF, 10%, 50 v, Film Polyester	IC904	742727	IC - Type Special
C973	742024	1 uF, 50 v, Elyt	IFT51	741910	Transformer - IF
C974	742743	50 pf, Trimmer	IFT101	742752	Transformer - IF
C975	742052	.01 uF + 80% - 20%, 50 v, CER, H1-K	IFT102	742753	Transformer - IF
C976	126918	47 uF, 10 v, Elect	IFT103	742754	Transformer - IF
C977	742036	82 pf, 10%, 50 v, CER	IFT104	742755	Transformer - IF
C978	742052	.01 uF + 80% - 20%, 50 v, CER, H1-K	IFT151	741911	Transformer - IF
C990	742024	1 uF, 50 v, Elyt	IFT152	741912	Transformer - IF
CF151	741909	Filter-Ceramic	IFT801	742756	Transformer - IF
CF152	741909	Filter-Ceramic	IFT802	742756	Transformer - IF
CF801	741908	Filter-Ceramic	IFT803	742757	Transformer - IF
CF901	742762	Filter - Ceramic	IFT804	741913	Transformer - IF
CF902	742763	Filter - Ceramic	L52	741916	Coil-Series
CS701	742738	Capacitor Assem-1000 pf, X3, Feed Thru	L55	741921	Coil RF
CS703	742738	Capacitor Assem-1000 pf, X3, Feed Thru	L104	742748	Coil - Loading
D51	741868	Diode - Type Special	L106	741916	Coil-Series
D101	742730	Diode - Type Special	L107	741915	Coil-OSC. A.M.
D102	742730	Diode - Type Special	L701	742749	Coil - Choke
D103	741864	Diode - Type MA150	L802	742750	Coil - RF
D151	741866	Diode - Type Special	L803	742750	Coil - RF
D152	741866	Diode - Type Special	L804	741916	Coil-Series
D153	741869	Diode - Type Special	L901	741905	Coil-R.F.
D155	741864	Diode - Type MA150	L902	741905	Coil-R.F.
D501	742731	Diode - Type Special	L903	742751	Coil - RF
D502	742731	Diode - Type Special	L904	741904	Coil-R.F.
D503	742731	Diode - Type Special	L905	742751	Coil - RF
D504	742731	Diode - Type Special	L906	741906	Coil-Cyoke, R.F.
D505	742731	Diode - Type Special	L907	741905	Coil-R.F.
D506	742731	Diode - Type Special			
D507	742731	Diode - Type Special			
D508	742731	Diode - Type Special			
D509	742731	Diode - Type Special			
D510	742731	Diode - Type Special			
D511	742731	Diode - Type Special	R51	108865	1000 Ohm, 5%, 1/4 w, Comp
D512	742731	Diode - Type Special	R52	427563	3900 Ohm, 5%, 1/4 w, Comp
D513	742731	Diode - Type Special	R53	243078	4700 Ohm, 5%, 1/4 w, Film
D514	742731	Diode - Type Special	R54	108864	470 Ohm, 5%, 1/4 w, Comp
D701	741865	Diode - Type Special	R55	108869	15000 Ohm, 5%, 1/4 w, Comp
D801	741864	Diode - Type MA150	R56	427563	3900 Ohm, 5%, 1/4 w, Comp
D802	741864	Diode - Type MA150	R57	108865	1000 Ohm, 5%, 1/4 w, Comp
D803	741866	Diode - Type Special	R58	219459	1500 Ohm, 5%, 1/4 w, Comp
D804	741864	Diode - Type MA150	R59	427563	3900 Ohm, 5%, 1/4 w, Comp
D805	741866	Diode - Type Special	R60	108869	15000 Ohm, 5%, 1/4 w, Comp
D806	741866	Diode - Type Special	R61	108864	470 Ohm, 5%, 1/4 w, Comp
D807	741864	Diode - Type MA150	R62	232388	390000 Ohm, 5%, 1/4 w, Comp
D808	741864	Diode - Type MA150	R63	223769	100000 Ohm, 5%, 1/4 w, Comp
D809	741864	Diode - Type MA150	R64	108861	100 Ohm, 5%, 1/4 w, Comp
D810	741867	Diode - Type MA 1100	R65	108864	470 Ohm, 5%, 1/4 w, Comp
D901	741864	Diode - Type MA150	R66	108861	100 Ohm, 5%, 1/4 w, Comp
D902	741865	Diode - Type Special	R101	219458	330 Ohm, 5%, 1/4 w, Comp

All Resistors fixed carbon 1/8 watt unless otherwise noted

Continued on Page 50

SYMB. NO.	STOCK NO.	DESCRIPTION	SYMB. NO.	STOCK NO.	DESCRIPTION
R103	219458	330 Ohm, 5%, 1/4 w, Comp	R608	433324	1000000 Ohm, 5%, 1/8 w, Comp
R104	241860	22000 Ohm, 5%, 1/4 w, Film	R609	429830	22000 Ohm, 5%, 1/8 w, Comp
R106	218758	220 Ohm, 5%, 1/4 w, Comp	R610	433324	1000000 Ohm, 5%, 1/8 w, Comp
R107	219460	1800 Ohm, 5%, 1/4 w, Comp	R611	429835	220000 Ohm, 5%, 1/8 w, Comp
R108	113524	2700 Ohm, 5%, 1/4 w, Comp	R612	429820	470 Ohm, 1/8 w, 5%, Comp
R109	108870	18000 Ohm, 5%, 1/4 w, Comp	R614	433324	1000000 Ohm, 5%, 1/8 w, Comp
R110	108865	1000 Ohm, 5%, 1/4 w, Comp	R615	436536	680000 Ohm, 5%, 1/8 w, Comp
R111	108866	2200 Ohm, 5%, 1/4 w, Comp	R616	436536	680000 Ohm, 5%, 1/8 w, Comp
R112	241860	22000 Ohm, 5%, 1/4 w, Film	R617	429836	470,000 Ohm, 1/8 w, 5%, Comp
R113	108869	15000 Ohm, 5%, 1/4 w, Comp	R618	423244	270000 Ohm, 5%, 1/8 w, Comp
R114	219458	330 Ohm, 5%, 1/4 w, Comp	R619	429826	4700 Ohm, 5%, 1/8 w, Comp
R115	243078	4700 Ohm, 5%, 1/4 w, Film	R620	427816	33,000 Ohms, 1/8 w, 5%, Comp
R116	239466	82,000 Ohm, 5%, 1/4 w, Film	R621	429836	470,000 Ohm, 1/8 w, 5%, Comp
R117	108863	270 Ohm, 5%, 1/4 w, Comp	R622	433324	1000000 Ohm, 5%, 1/8 w, Comp
R118	243078	4700 Ohm, 5%, 1/4 w, Film	R623	430554	3900 Ohm, 1/8 w, 5%, Comp
R151	219467	27000 Ohm, 5%, 1/4 w, Comp	R624	429832	39000 Ohm, 5%, 1/8 w, Comp
R152	243078	4700 Ohm, 5%, 1/4 w, Film	R625	741881	150,000 Ohm, 5%, 1/8 w, Comp
R153	249430	680 Ohms, 5%, 1/4 w, Film	R626	433324	1000000 Ohm, 5%, 1/8 w, Comp
R154	108865	1000 Ohm, 5%, 1/4 w, Comp	R627	429828	10000 Ohm, 5%, 1/8 w, Comp
R155	219458	330 Ohm, 5%, 1/4 w, Comp	R801	246910	100 Ohm, 5%, 1/8 w, Comp
R156	108865	1000 Ohm, 5%, 1/4 w, Comp	R802	246910	100 Ohm, 5%, 1/8 w, Comp
R157	108865	1000 Ohm, 5%, 1/4 w, Comp	R803	433122	220 Ohms, 5%, 1/8 w, Comp
R159	108865	1000 Ohm, 5%, 1/4 w, Comp	R804	429830	22000 Ohm, 5%, 1/8 w, Comp
R160	427563	3900 Ohm, 5%, 1/4 w, Comp	R805	423241	120000 Ohm, 5%, 1/8 w, Comp
R161	427563	3900 Ohm, 5%, 1/4 w, Comp	R806	433122	220 Ohms, 5%, 1/8 w, Comp
R162	108861	100 Ohm, 5%, 1/4 w, Comp	R807	429834	100,000 Ohm, 1/8 w, 5%, Comp
R163	223769	100000 Ohm, 5%, 1/4 w, Comp	R808	741884	56 Ohm, 5%, 1/8 w, Comp
R164	742809	56 Ohm, 5%, 1 w, Metal Oxide	R809	429821	680 Ohm, 1/8 w, 5%, Comp
R171	223769	100000 Ohm, 5%, 1/4 w, Comp	R810	429834	100,000 Ohm, 1/8 w, 5%, Comp
R172	249531	33,000 Ohm, 2%, 1/4 w, Film	R811	428612	1000 Ohm, 5%, 1/8 w, Comp
R173	113524	2700 Ohm, 5%, 1/4 w, Comp	R812	428612	1000 Ohm, 5%, 1/8 w, Comp
R174	108865	1000 Ohm, 5%, 1/4 w, Comp	R813	435413	180000 Ohm, 5%, 1/8 w, Comp
R175	108865	1000 Ohm, 5%, 1/4 w, Comp	R814	502156	560 Ohms, 5%, 1/2 w, Comp
R176	218499	10000 Ohm, 5%, 1/4 w, Comp	R821	427815	1500 Ohm, 1/8 w, 5%, Comp
R177	108871	47000 Ohm, 5%, 1/4 w, Comp	R822	429824	2200 Ohm, 1/8 w, 5%, Comp
R178	426199	56000 Ohm, 5%, 1/4 w, Comp	R823	425269	47,000 Ohm, 5%, 1/8 w, Comp
R179	108865	1000 Ohm, 5%, 1/4 w, Comp	R824	428612	1000 Ohm, 5%, 1/8 w, Comp
R180	107972	3300 Ohm, 5%, 1/4 w, Comp	R825	429824	2200 Ohm, 1/8 w, 5%, Comp
R181	107972	3300 Ohm, 5%, 1/4 w, Comp	R826	425266	3300 Ohm, 5%, 1/8 w, Comp
R182	219467	27000 Ohm, 5%, 1/4 w, Comp	R827	428613	12000 Ohm, 5%, 1/8 w, Comp
R183	108866	2200 Ohm, 5%, 1/4 w, Comp	R828	741883	270 Ohm, 5%, 1/8 w, Comp
R184	108866	2200 Ohm, 5%, 1/4 w, Comp	R829	741882	330 Ohm, 5%, 1/8 w, Comp
R185	218758	220 Ohm, 5%, 1/4 w, Comp	R830	422020	5600 Ohm, 5%, 1/8 w, Comp
R186	228878	56 Ohm, 5%, 1/4 w, Comp	R831	436537	330000 Ohm, 5%, 1/8 w, Comp
R187	108865	1000 Ohm, 5%, 1/4 w, Comp	R832	425269	47,000 Ohm, 5%, 1/8 w, Comp
R202	249531	33,000 Ohm, 2%, 1/4 w, Film	R833	429830	22000 Ohm, 5%, 1/8 w, Comp
R203	426199	56000 Ohm, 5%, 1/4 w, Comp	R834	429830	22000 Ohm, 5%, 1/8 w, Comp
R204	241860	22000 Ohm, 5%, 1/4 w, Film	R835	433323	82000 Ohm, 5%, 1/8 w, Comp
R205	228878	56 Ohm, 5%, 1/4 w, Comp	R836	427816	33,000 Ohm, 1/8 w, 5%, Comp
R206	227741	560 Ohm, 5%, 1/4 w, Comp	R837	427816	33,000 Ohms, 1/8 w, 5%, Comp
R302	249531	33,000 Ohm, 2%, 1/4 w, Film	R838	429821	680 Ohm, 1/8 w, 5%, Comp
R303	426199	56000 Ohm, 5%, 1/4 w, Comp	R851	429826	4700 Ohm, 5%, 1/8 w, Comp
R304	241860	22000 Ohm, 5%, 1/4 w, Film	R852	428612	1000 Ohm, 5%, 1/8 w, Comp
R305	228878	56 Ohm, 5%, 1/4 w, Comp	R853	433122	220 Ohms, 5%, 1/8 w, Comp
R306	227741	560 Ohm, 5%, 1/4 w, Comp	R854	429820	470 Ohm, 1/8 w, 5%, Comp
R501			R855	429828	10000 Ohm, 5%, 1/8 w, Comp
THRU			R856	425266	3300 Ohm, 5%, 1/8 w, Comp
R514	742741	RES Module-7 Resistors, 1800 Ohm Ea.	R857	433312	2.2 Ohms, 5%, 1/4 w, Comp
R601	429826	4700 Ohm, 5%, 1/8 w, Comp	R861	427816	33,000 Ohms, 1/8 w, 5%, Comp
R602	429830	22000 Ohm, 5%, 1/8 w, Comp	R862	429824	2200 Ohm, 1/8 w, 5%, Comp
R603	436537	330000 Ohm, 5%, 1/8 w, Comp	R863	429831	27000 Ohm, 5%, 1/8 w, Comp
R604	433324	1000000 Ohm, 5%, 1/8 w, Comp	R864	433323	82000 Ohm, 5%, 1/8 w, Comp
R605	429829	15,000 Ohm, 1/8 w, 5%, Comp	R865	427815	1500 Ohms, 1/8 w, 5%, Comp
R606	429824	2200 Ohm, 1/8 w, 5%, Comp	R866	429826	4700 Ohm, 5%, 1/8 w, Comp
R607	429829	15,000 Ohm, 1/8 w, 5%, Comp	R867	742742	390000 Ohm, 5%, 1/8 w, Comp

Continued on Page 51

SYMB. NO.	STOCK NO.	DESCRIPTION	SYMB. NO.	STOCK NO.	DESCRIPTION
R868	429835	220,000 Ohm, 1/8 w, 5%, Comp	R986	425269	47,000 Ohm, 5%, 1/8 w, Comp
R869	433122	220 Ohms, 5%, 1/8 w, Comp	R987	431026	1200 Ohm, 1/8 w, 5%, Fixed Comp
R870	428612	1000 Ohm, 5%, 1/8 w, Comp	R989	429832	39000 Ohm, 5%, 1/8 w, Comp
R871	429824	2200 Ohm, 1/8 w, 5%, Comp	R990	433123	5600 Ohms, 5%, 1/8 w, Comp
R872	429824	2200 Ohm, 1/8 w, 5%, Comp	R991	429824	2200 Ohm, 1/8 w, 5%, Comp
R873	429824	2200 Ohm, 1/8 w, 5%, Comp	R992	429821	680 Ohm, 1/8 w, 5%, Comp
R874	429826	4700 Ohm, 5%, 1/8 w, Comp	R993	429825	2700 Ohm, 1/8 w, 5%, Comp
R875	426376	10 Ohms, 5%, 1/8 w, Comp	R995	429834	100,000 Ohm, 1/8 w, 5%, Comp
R901	429826	4700 Ohm, 5%, 1/8 w, Comp	R996	429834	100,000 Ohm, 1/8 w, 5%, Comp
R902	430554	3900 Ohm, 5%, 1/8 w, Comp	R997	433417	18000 Ohm, 5%, 1/8 w, Comp
R903	741884	56 Ohm, 5%, 1/8 w, Comp	SW51	742764	Switch - Selector (AM/FM)
R904	229667	270 Ohm, 5%, 1 w, Film	SW52	742764	Switch - Selector (AM/FM)
R905	227741	560 Ohm, 5%, 1/4 w, Comp	SW701	741895	100,000 Ohm - Var w/Pwr SW
R906	246910	100 Ohm, 5%, 1/8 w, Comp	SW802	741880	10000 Ohm, Linear Var. w/Switch
R907	426232	10 Ohm, 5%, 1/4 w, Comp	SW803	742765	Switch - Selector
R908	246910	100 Ohm, 5%, 1/8 w, Comp	SW904	741927	Switch-Monitor On/Off
R909	429828	10000 Ohm, 5%, 1/8 w, Comp	SW905	742766	Switch - Selector
R910	425266	3300 Ohm, 5%, 1/8 w, Comp	T801	742759	Transformer-RF
R911	246910	100 Ohm, 5%, 1/8 w, Comp	T802	741896	Transformer - RF
R912	429828	10000 Ohm, 5%, 1/8 w, Comp	T902	741896	Transformer - RF
R913	425266	3300 Ohm, 5%, 1/8 w, Comp	T903	741896	Transformer - RF
R914	433463	150 Ohms, 5%, 1/8 w, Comp	T904	741896	Transformer - RF
R915	433463	150 Ohms, 5%, 1/8 w, Comp	T906	742760	Transformer - RF
R916	428612	1000 Ohm, 5%, 1/8 w, Comp	T907	742761	Transformer - RF
R917	429821	680 Ohm, 1/8 w, 5%, Comp	T908	742760	Transformer - RF
R926	433122	220 Ohms, 5%, 1/8 w, Comp	TR51	741862	Transistor - Type 2SC1047
R927	429819	390 Ohm, 1/8 w, 5%, Comp	TR52	741862	Transistor - Type 2SC1047
R928	429834	100,000 Ohm, 1/8 w, 5%, Comp	TR53	741855	Transistor - Type 2SC829
R929	429831	27000 Ohm, 5%, 1/8 w, Comp	TR101	742728	Transistor - Type 2SC2076
R930	428613	12000 Ohm, 5%, 1/8 w, Comp	TR102	741855	Transistor - Type 2SC829
R931	429821	680 Ohm, 1/8 w, 5%, Comp	TR103	741855	Transistor - Type 2SC829
R932	429820	470 Ohm, 1/8 w, 5%, Comp	TR151	741855	Transistor - Type 2SC829
R933	426376	10 Ohms, 5%, 1/8 w, Comp	TR152	169771	Transistor - Type 2SC828
R934	429826	4700 Ohm, 5%, 1/8 w, Comp	TR801	741860	Transistor - Type 3SK49
R935	422021	6800 Ohm, 5%, 1/8 w, Comp	TR802		
R936	433122	220 Ohms, 5%, 1/8 w, Comp	THRU		
R937	429820	470 Ohm, 1/8 w, 5%, Comp	TR805	741855	Transistor - Type 2SC829
R938	429828	10000 Ohm, 5%, 1/8 w, Comp	TR806	742729	Transistor - Type 2SC1383
R939	429826	4700 Ohm, 5%, 1/8 w, Comp	TR807	741856	Transistor - Type 2SC1318
R940	429828	10000 Ohm, 5%, 1/8 w, Comp	TR810	741855	Transistor - Type 2SC829
R941	429828	10000 Ohm, 5%, 1/8 w, Comp	TR811		
R942	741882	330 Ohm, 5%, 1/8 w, Comp	THRU		
R943	433323	82000 Ohm, 5%, 1/8 w, Comp	TR813	169771	Transistor - Type 2SC828
R953	433122	220 Ohms, 5%, 1/8 w, Comp	TR901	742970	Transistor - Type 2SC1974
R963	433123	560 Ohms, 5%, 1/8 w, Comp	TR902	741858	Transistor - Type 2SC1973
R964	427816	33,000 Ohms, 1/8 w, 5%, Comp	TR903	741855	Transistor - Type 2SC829
R966	430554	3900 Ohm, 1/8 w, 5%, Comp	TR904	741855	Transistor - Type 2SC829
R967	430554	3900 Ohm, 1/8 w, 5%, Comp	TR905	741860	Transistor - Type 3SK49
R968	429834	100,000 Ohm, 1/8 w, 5%, Comp	TR906	741855	Transistor - Type 2SC829
R969	433463	150 Ohms, 5%, 1/8 w, Comp	TR907	741855	Transistor - Type 2SC829
R971	429828	10000 Ohm, 5%, 1/8 w, Comp	TR908	169771	Transistor - Type 2SC828
R972	429828	10000 Ohm, 5%, 1/8 w, Comp	TR909	169771	Transistor - Type 2SC828
R973	246910	100 Ohm, 5%, 1/8 w, Comp	TR910	742729	Transistor - Type 2SC1383
R974	433123	560 Ohms, 5%, 1/8 w, Comp	TR912	741855	Transistor - Type 2SC829
R975	433417	18000 Ohm, 5%, 1/8 w, Comp	TR913	741862	Transistor - Type 2SC1047
R976	422020	5600 Ohm, 5%, 1/8 w, Comp	TR914	741855	Transistor - Type 2SC829
R977	432105	820 Ohm, 5%, 1/8 w, Comp	TR915	741855	Transistor - Type 2SC829
R978	246910	100 Ohm, 5%, 1/8 w, Comp	TR916	741855	Transistor - Type 2SC829
R979	427816	33,000 Ohms, 1/8 w, 5%, Comp	TR917	741863	Transistor - Type 2SA564
R980	428612	1000 Ohm, 5%, 1/8 w, Comp	TR918	741863	Transistor - Type 2SA564
R981	246910	100 Ohm, 5%, 1/8 w, Comp	TR919	741855	Transistor - Type 2SC829
R982	422021	6800 Ohm, 5%, 1/8 w, Comp			
R983	429829	15,000 Ohm, 1/8 w, 5%, Comp			
R984	246910	100 Ohm, 5%, 1/8 w, Comp			
R985	428612	1000 Ohm, 5%, 1/8 w, Comp			

Continued on Page 52

SYMB. NO.	STOCK NO.	DESCRIPTION	SYMB. NO.	STOCK NO.	DESCRIPTION
VR153	742746	2000 Ohm, Linear, Semi-Var	M17	742787	Knob
VR201	741895	100,000 Ohm - Var, w/Pwr, SW	M18	742788	Button - Push
VR202	741895	100,000 Ohm - Var, w/Pwr, SW	M19	742789	Lamp - Panel
VR203	742747	20000 Ohm, Linear, Var	M24	742790	Joint Assem
VR301	741895	100,000 Ohm - Var, w/Pwr, SW	M29	742791	Pointer - Dial
VR302	741895	100,000 Ohm - Var, w/Pwr, SW	M31	742792	Board - PC - Jointer (7 Wires)
VR801	741880	10,000 Ohm - Var, w/Pwr, SW	M32	742793	Board PC Jointer (8 Wires)
VR901	741891	5000 Ohm, Linear, Semi Var.	M34	742794	Cord - Pwr (DC)
VR902	741891	5000 Ohm, Linear, Semi Var.	M35	741988	Cord-Pwr. D.C.
VR903	742812	10000 Ohm, Linear, Semi Var.	M36	741994	Cable-Speaker
X801	742767	Crystal - 11.050 MHZ	M37	741995	Cable-Speaker
X901	742768	Crystal - 10.595 MHZ	M40	742824	Stud
X902	742769	Crystal - 10.24 MHZ	M42	742795	Holder - Meter
			M43	742796	Holder
			M47	741923	Core - Tunner (Ferrite)
			M53	742797	Clamp (Cord)
			M66	742798	Board - PC - Flexible (For Switch)
			M67	742799	Board - PC (Flexible) (Forled)
			M68	742800	Collar - Shaft
			M80	742770	Tuner Assem
			M801	741948	Meter-D.C.
			PL701	741949	Lamp-Pilot
			PL702	741949	Lamp-Pilot
					ACCESSORIES
			A1	741980	Holder-Microphone
			A3	741978	Knob-Tuning and Volume Cont
			A4	741977	Knob-Tone and Fa der Cont
			A7	742801	Clamp - Cord
			A12	742802	Cable - Extension-(Spkr)
			A13	742803	Cable - Extension-(Spkr)
			A17	742804	Plate - Trim
			A18	742805	Gasket
			A19	741979	Microphone-C B
			A21	742806	Strap - Supporting
			A22	742807	Bracket - Mounting
			A23	742808	Kit-1 MTG, Screw/1 H Nut, 5MM/4, H Nuts
AJ	742772	Connector - ANT			
AJ901	742771	Connector - ANT			
CN801J	742774	Connector - Jack (3P)			
CN801P	741954	Connector-Plug			
CN802J	742775	Connector - Jack (7P)			
CN802P	742773	Connector - Plug			
CN901	742776	Connector - Jack (Mike)			
F	170541	3 AMP			
M1	742777	Connector			
M10	742778	Plate - Back			
M11	742779	Holder - Pilot Lamp			
M13	742780	Holder - Pilot Lamp			
M14	742781	Escutcheon Assem			
M14-1	742782	Knob - Selector			
M14-2	742783	Shaft - Selector			
M14-3	742784	Spring			
M15	742785	Knob - (CH)			
M16	742786	Knob			

RCA|Distributor and Special Products Division|2000 Clements Bridge Road|Deptford, NJ 08096